

## Clavicle hook plates\*

### Clavicle hook plate 3.5, standard, straight



4/6 holes  
length 88/112 mm  
width 10 mm



3 holes  
length 82 mm  
width 10 mm

### Clavicle hook plate 3.5, standard, bent



3/4/5/6/7/8 holes  
length 75/86/96/  
106/117/127 mm  
width 10 mm


### Angle stable Clavicle hook plate 3.5, bent



4/5/6 holes  
length 86/96/106 mm  
width 10 mm


### Angle stable cortical screw

Ø 3.5 mm, self tapping  
length 10 - 24 mm (in set)  
titanium alloy



### Standard cortical screw

Ø 3.5 mm, self tapping  
length 10 - 20 mm (in set)  
titanium alloy



## Contact details

If you are interested in the  
**Clavicle plates** please feel free  
to contact us



### Königsee Implantate GmbH

Am Sand 4  
07426 Allendorf | OT Aschau  
Germany

export@koenigsee-implantate.de  
+ 49 36738 498 - 560

or your local sales representatives.

[www.koenigsee-implantate.de](http://www.koenigsee-implantate.de)

Copyright © Königsee Implantate GmbH/HeBo | Edition 02 | 2019-06

## Balzer plates\*

### Balzer plate 3.5 standard, offset 21



2/3/4 holes  
length 68/78/86 mm  
width 12 mm

### Balzer plate 3.5 standard, offset 11




2 holes  
length 61 mm  
width 12 mm

### Balzer plate 3.5 standard, offset 17



3/4 holes  
length 71/80 mm  
width 12 mm

### Standard cortical screw



Ø 3.5 mm  
self tapping  
length 10 - 20 mm  
titanium alloy

## CLAVICLE PLATES

### Titanium plates range



 **Königsee  
Implantate**

## AC joint hook plates

### Angle stable AC joint hook plate 3.5



offset 14/18 mm  
clasp 18 mm

### Variable angle stable AC joint hook plate 3.5



2/2 holes  
offset 14 mm  
clasp 16 mm



2/3 holes  
offset 14 mm  
clasp 16 mm



2/6 holes  
offset 14 mm  
clasp 16 mm

## Lateral Clavicle plates

### Variable angle stable lateral Clavicle plate 2.7



5/4 holes / length 65 mm  
5/6 holes / length 82 mm  
width 10 mm

### Variable angle stable lateral Clavicle plate 3.5



3/4 holes / length 65 mm  
3/6 holes / length 82 mm  
width 10 mm

### Angle stable lateral Clavicle plate 3.5



3/4 holes / length 65 mm  
3/6 holes / length 82 mm  
width 10 mm

## Clavicle shaft plates

### Variable angle stable Clavicle shaft plate 3.5



radius 95  
6/8/10 holes  
length 74/99/124 mm  
width 12 mm




radius 70  
9 holes  
length 107 mm  
width 12 mm



radius 105  
9 holes  
length 111 mm  
width 12 mm

### Angle stable Clavicle shaft plate 3.5



6/8/10 holes  
length 74/99/124 mm  
width 12 mm

## Anterior Clavicle plates

### WiKo® Anterior medial Clavicle plate 3.5



6 holes  
length 80 mm  
width 10 mm




7 holes  
length 91 mm  
width 10 mm



8 holes  
length 103 mm  
width 10 mm

### WiKo® Anterior lateral Clavicle plate 3.5



8 holes  
length 105 mm  
width 10 mm




9 holes  
length 117 mm  
width 10 mm



10 holes  
length 128 mm  
width 10 mm


### Angle stable cortical screw

Ø 3.5 mm, self tapping  
length 10 - 24 mm (in set)  
titanium alloy



### Standard cortical screw

Ø 3.5 mm, self tapping  
length 10 - 20 mm (in set)  
titanium alloy



### Angle stable cortical screw

Ø 2.7 mm, self tapping  
length 10 - 24 mm  
titanium alloy




### Standard cortical screw

Ø 2.7 mm, self tapping  
length 10 - 20 mm  
titanium alloy




### Angle stable cortical screw

Ø 3.5 mm, self tapping  
length 10 - 24 mm  
titanium alloy



### Standard cortical screw

Ø 3.5 mm, self tapping  
length 10 - 20 mm  
titanium alloy



#### Information:

The system name WiKo® is derived from the German designation "Winkel-stabile Kombination", which translates into English as "Angle-stable Combination". This is a plating technology which offers stable locking at a specified angle. It includes all the angle-stable plates both with and without compression. In Germany the system name WiKo® is a Registered Trade Mark of Königsee Implantate GmbH.

\* These clavicle plates are also available in steel.