

# Angle-stable Distal and Proximal Radius Plates 2.0

Dorsal and Palmar for Screws Ø 2.0/3.5 mm; Proximal for Screws Ø 2.0/2.0 mm; Titanium



Item no. Item description

## Distal dorsal radius plate with conical thread in head Ø 2.0/3.5 mm; titanium

- 5.892.43 distal radius plate with conical thread in head Ø 2.0/3.5 mm; 4/3 holes; 63 x 10 mm; dorsal; right; titanium  
 5.892.53 distal radius plate with conical thread in head Ø 2.0/3.5 mm; 5/3 holes; 63 x 10 mm; dorsal; right; titanium  
 5.893.43 distal radius plate with conical thread in head Ø 2.0/3.5 mm; 4/3 holes; 63 x 10 mm; dorsal; left; titanium  
 5.893.53 distal radius plate with conical thread in head Ø 2.0/3.5 mm; 5/3 holes; 63 x 10 mm; dorsal; left; titanium

## Distal palmar radius plate with conical thread in head Ø 2.0/3.5 mm; titanium

- 5.898.63 distal radius plate with conical thread in head Ø 2.0/3.5 mm; 6/3 holes; 50 x 10 mm; palmar; right; titanium  
 5.898.65 distal radius plate with conical thread in head Ø 2.0/3.5 mm; 6/5 holes; 67 x 10 mm; palmar; right; titanium  
 5.899.63 distal radius plate with conical thread in head Ø 2.0/3.5 mm; 6/3 holes; 50 x 10 mm; palmar; left; titanium  
 5.899.65 distal radius plate with conical thread in head Ø 2.0/3.5 mm; 6/5 holes; 67 x 10 mm; palmar; left; titanium  
 5.8985.63 distal radius plate with conical thread in head Ø 2.0/3.5 mm; 6/3 holes; 50 x 10 mm; palmar; right; titanium  
 5.8995.63 distal radius plate with conical thread in head Ø 2.0/3.5 mm; 6/3 holes; 50 x 10 mm; palmar; left; titanium

## Proximal radius plate with conical thread in head Ø 2.0/2.0 mm; titanium

- 5.884.23 proximal radius plate with conical thread in head Ø 2.0/2.0 mm; 2/3 holes; 32 x 7.0 mm; titanium  
 5.884.24 proximal radius plate with conical thread in head Ø 2.0/2.0 mm; 2/4 holes; 40 x 7.0 mm; titanium