

Cannulated screws

titanium



Item no. 3.448.30



Item no. 3.450.30



Item no. 3.504.30



Item no. 3.602.30



Item no. 3.440.30



Item no. 3.445.30



Item no. 3.434.30



Item no. 3.435.30

Item no.	Item description	EAN
----------	------------------	-----

Cannulated screw 2.7 partial thread st sd – TiOB®

3.448.10	Ø 2.7 x 10 mm; thread 5; self drilling; self tapping; titanium	4 047075 098422
3.448.12	Ø 2.7 x 12 mm; thread 5; self drilling; self tapping; titanium	4 047075 098439
3.448.14	Ø 2.7 x 14 mm; thread 5; self drilling; self tapping; titanium	4 047075 098330
3.448.16	Ø 2.7 x 16 mm; thread 6; self drilling; self tapping; titanium	4 047075 098453
3.448.18	Ø 2.7 x 18 mm; thread 7; self drilling; self tapping; titanium	4 047075 098347
3.448.20	Ø 2.7 x 20 mm; thread 8; self drilling; self tapping; titanium	4 047075 098354
3.448.22	Ø 2.7 x 22 mm; thread 9; self drilling; self tapping; titanium	4 047075 098361
3.448.24	Ø 2.7 x 24 mm; thread 10; self drilling; self tapping; titanium	4 047075 098446
3.448.26	Ø 2.7 x 26 mm; thread 10; self drilling; self tapping; titanium	4 047075 098545
3.448.28	Ø 2.7 x 28 mm; thread 12; self drilling; self tapping; titanium	4 047075 098460
3.448.30	Ø 2.7 x 30 mm; thread 12; self drilling; self tapping; titanium	4 047075 098477
3.448.32	Ø 2.7 x 32 mm; thread 12; self drilling; self tapping; titanium	4 047075 098484
3.448.34	Ø 2.7 x 34 mm; thread 12; self drilling; self tapping; titanium	4 047075 098378
3.448.35	Ø 2.7 x 35 mm; thread 15; self drilling; self tapping; titanium	4 047075 098385
3.448.36	Ø 2.7 x 36 mm; thread 15; self drilling; self tapping; titanium	4 047075 098408
3.448.38	Ø 2.7 x 38 mm; thread 15; self drilling; self tapping; titanium	4 047075 098552
3.448.40	Ø 2.7 x 40 mm; thread 15; self drilling; self tapping; titanium	4 047075 098569
3.448.42	Ø 2.7 x 42 mm; thread 15; self drilling; self tapping; titanium	4 047075 098576
3.448.44	Ø 2.7 x 44 mm; thread 15; self drilling; self tapping; titanium	4 047075 098491
3.448.45	Ø 2.7 x 45 mm; thread 15; self drilling; self tapping; titanium	4 047075 098590
3.448.46	Ø 2.7 x 46 mm; thread 15; self drilling; self tapping; titanium	4 047075 098507
3.448.48	Ø 2.7 x 48 mm; thread 15; self drilling; self tapping; titanium	4 047075 098514
3.448.50	Ø 2.7 x 50 mm; thread 15; self drilling; self tapping; titanium	4 047075 098521
3.448.55	Ø 2.7 x 55 mm; thread 20; self drilling; self tapping; titanium	4 047075 098583
3.448.60	Ø 2.7 x 60 mm; thread 20; self drilling; self tapping; titanium	4 047075 098699
3.448.65	Ø 2.7 x 65 mm; thread 20; self drilling; self tapping; titanium	4 047075 059126

Cannulated screws

titanium



Item no. 3.520.70



Item no. 3.523.70



Item no. 3.525.70





























Item no. 3.414.70



Item no. 3.424.70




































Item no. 3.427.70

Item no.	Item description	EAN
3.448.70	Ø 2.7 x 70 mm; thread 20; self drilling; self tapping; titanium	
3.448.75	Ø 2.7 x 75 mm; thread 20; self drilling; self tapping; titanium	
3.448.80	Ø 2.7 x 80 mm; thread 20; self drilling; self tapping; titanium	
Cannulated screw 2.7 st sd – TiOB®		
3.450.06	Ø 2.7 x 6 mm; fully threaded; self drilling; self tapping; titanium	
3.450.08	Ø 2.7 x 8 mm; fully threaded; self drilling; self tapping; titanium	
3.450.10	Ø 2.7 x 10 mm; fully threaded; self drilling; self tapping; titanium	
3.450.12	Ø 2.7 x 12 mm; fully threaded; self drilling; self tapping; titanium	
3.450.14	Ø 2.7 x 14 mm; fully threaded; self drilling; self tapping; titanium	
3.450.16	Ø 2.7 x 16 mm; fully threaded; self drilling; self tapping; titanium	
3.450.18	Ø 2.7 x 18 mm; fully threaded; self drilling; self tapping; titanium	
3.450.20	Ø 2.7 x 20 mm; fully threaded; self drilling; self tapping; titanium	
3.450.22	Ø 2.7 x 22 mm; fully threaded; self drilling; self tapping; titanium	
3.450.24	Ø 2.7 x 24 mm; fully threaded; self drilling; self tapping; titanium	
3.450.26	Ø 2.7 x 26 mm; fully threaded; self drilling; self tapping; titanium	
3.450.28	Ø 2.7 x 28 mm; fully threaded; self drilling; self tapping; titanium	
3.450.30	Ø 2.7 x 30 mm; fully threaded; self drilling; self tapping; titanium	
3.450.32	Ø 2.7 x 32 mm; fully threaded; self drilling; self tapping; titanium	
3.450.34	Ø 2.7 x 34 mm; fully threaded; self drilling; self tapping; titanium	
3.450.35	Ø 2.7 x 35 mm; fully threaded; self drilling; self tapping; titanium	
3.450.36	Ø 2.7 x 36 mm; fully threaded; self drilling; self tapping; titanium	
3.450.38	Ø 2.7 x 38 mm; fully threaded; self drilling; self tapping; titanium	
3.450.40	Ø 2.7 x 40 mm; fully threaded; self drilling; self tapping; titanium	
3.450.42	Ø 2.7 x 42 mm; fully threaded; self drilling; self tapping; titanium	
3.450.44	Ø 2.7 x 44 mm; fully threaded; self drilling; self tapping; titanium	
3.450.45	Ø 2.7 x 45 mm; fully threaded; self drilling; self tapping; titanium	
3.450.46	Ø 2.7 x 46 mm; fully threaded; self drilling; self tapping; titanium	

Cannulated screws

titanium

Item no.	Item description	EAN
3.450.48	Ø 2.7 x 48 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098880
3.450.50	Ø 2.7 x 50 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098804
3.450.55	Ø 2.7 x 55 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098910
3.450.60	Ø 2.7 x 60 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098828
3.450.65	Ø 2.7 x 65 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 058938
3.450.70	Ø 2.7 x 70 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 058945
3.450.75	Ø 2.7 x 75 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 058952
3.450.80	Ø 2.7 x 80 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 058969
Cannulated screw 3.5 partial thread st		
3.502.10	Ø 3.5 x 10 mm; thread 5; self tapping; titanium	 4 047075 099610
3.502.12	Ø 3.5 x 12 mm; thread 5; self tapping; titanium	 4 047075 099498
3.502.14	Ø 3.5 x 14 mm; thread 5; self tapping; titanium	 4 047075 099504
3.502.16	Ø 3.5 x 16 mm; thread 6; self tapping; titanium	 4 047075 099511
3.502.18	Ø 3.5 x 18 mm; thread 7; self tapping; titanium	 4 047075 099696
3.502.20	Ø 3.5 x 20 mm; thread 8; self tapping; titanium	 4 047075 099702
3.502.22	Ø 3.5 x 22 mm; thread 9; self tapping; titanium	 4 047075 099719
3.502.24	Ø 3.5 x 24 mm; thread 10; self tapping; titanium	 4 047075 099627
3.502.26	Ø 3.5 x 26 mm; thread 12; self tapping; titanium	 4 047075 099733
3.502.28	Ø 3.5 x 28 mm; thread 14; self tapping; titanium	 4 047075 099634
3.502.30	Ø 3.5 x 30 mm; thread 14; self tapping; titanium	 4 047075 099641
3.502.32	Ø 3.5 x 32 mm; thread 14; self tapping; titanium	 4 047075 099658
3.502.34	Ø 3.5 x 34 mm; thread 14; self tapping; titanium	 4 047075 099726
3.502.36	Ø 3.5 x 36 mm; thread 14; self tapping; titanium	 4 047075 099832
3.502.38	Ø 3.5 x 38 mm; thread 14; self tapping; titanium	 4 047075 099740
3.502.40	Ø 3.5 x 40 mm; thread 14; self tapping; titanium	 4 047075 099757
3.502.42	Ø 3.5 x 42 mm; thread 15; self tapping; titanium	 4 047075 099764
3.502.44	Ø 3.5 x 44 mm; thread 15; self tapping; titanium	 4 047075 099665
3.502.46	Ø 3.5 x 46 mm; thread 15; self tapping; titanium	 4 047075 099672
3.502.48	Ø 3.5 x 48 mm; thread 15; self tapping; titanium	 4 047075 099689
3.502.50	Ø 3.5 x 50 mm; thread 15; self tapping; titanium	 4 047075 099856
3.502.52	Ø 3.5 x 52 mm; thread 16; self tapping; titanium	 4 047075 099863
3.502.54	Ø 3.5 x 54 mm; thread 16; self tapping; titanium	 4 047075 099870
3.502.56	Ø 3.5 x 56 mm; thread 16; self tapping; titanium	 4 047075 099771
3.502.58	Ø 3.5 x 58 mm; thread 16; self tapping; titanium	 4 047075 099894

Cannulated screws

titanium

Item no.	Item description	EAN
3.502.60	Ø 3.5 x 60 mm; thread 16; self tapping; titanium	
3.502.62	Ø 3.5 x 62 mm; thread 17; self tapping; titanium	
3.502.64	Ø 3.5 x 64 mm; thread 17; self tapping; titanium	
3.502.66	Ø 3.5 x 66 mm; thread 17; self tapping; titanium	
3.502.68	Ø 3.5 x 68 mm; thread 17; self tapping; titanium	
3.502.70	Ø 3.5 x 70 mm; thread 17; self tapping; titanium	
Cannulated screw 3.5 partial thread st bt sd		
3.504.10	Ø 3.5 x 10 mm; thread 5; self drilling; back tapping; self tapping; titanium	
3.504.12	Ø 3.5 x 12 mm; thread 5; self drilling; back tapping; self tapping; titanium	
3.504.14	Ø 3.5 x 14 mm; thread 5; self drilling; back tapping; self tapping; titanium	
3.504.16	Ø 3.5 x 16 mm; thread 6; self drilling; back tapping; self tapping; titanium	
3.504.18	Ø 3.5 x 18 mm; thread 7; self drilling; back tapping; self tapping; titanium	
3.504.20	Ø 3.5 x 20 mm; thread 8; self drilling; back tapping; self tapping; titanium	
3.504.22	Ø 3.5 x 22 mm; thread 9; self drilling; back tapping; self tapping; titanium	
3.504.24	Ø 3.5 x 24 mm; thread 10; self drilling; back tapping; self tapping; titanium	
3.504.26	Ø 3.5 x 26 mm; thread 12; self drilling; back tapping; self tapping; titanium	
3.504.28	Ø 3.5 x 28 mm; thread 14; self drilling; back tapping; self tapping; titanium	
3.504.30	Ø 3.5 x 30 mm; thread 14; self drilling; back tapping; self tapping; titanium	
3.504.32	Ø 3.5 x 32 mm; thread 14; self drilling; back tapping; self tapping; titanium	
3.504.34	Ø 3.5 x 34 mm; thread 14; self drilling; back tapping; self tapping; titanium	
3.504.36	Ø 3.5 x 36 mm; thread 14; self drilling; back tapping; self tapping; titanium	
3.504.38	Ø 3.5 x 38 mm; thread 14; self drilling; back tapping; self tapping; titanium	
3.504.40	Ø 3.5 x 40 mm; thread 14; self drilling; back tapping; self tapping; titanium	
3.504.42	Ø 3.5 x 42 mm; thread 15; self drilling; back tapping; self tapping; titanium	
3.504.44	Ø 3.5 x 44 mm; thread 15; self drilling; back tapping; self tapping; titanium	
3.504.46	Ø 3.5 x 46 mm; thread 15; self drilling; back tapping; self tapping; titanium	
3.504.48	Ø 3.5 x 48 mm; thread 15; self drilling; back tapping; self tapping; titanium	
3.504.50	Ø 3.5 x 50 mm; thread 15; self drilling; back tapping; self tapping; titanium	
3.504.52	Ø 3.5 x 52 mm; thread 16; self drilling; back tapping; self tapping; titanium	
3.504.54	Ø 3.5 x 54 mm; thread 16; self drilling; back tapping; self tapping; titanium	
3.504.56	Ø 3.5 x 56 mm; thread 16; self drilling; back tapping; self tapping; titanium	
3.504.58	Ø 3.5 x 58 mm; thread 16; self drilling; back tapping; self tapping; titanium	
3.504.60	Ø 3.5 x 60 mm; thread 16; self drilling; back tapping; self tapping; titanium	
3.504.62	Ø 3.5 x 62 mm; thread 17; self drilling; back tapping; self tapping; titanium	





























Cannulated screws

titanium

Item no.	Item description	EAN
3.504.64	Ø 3.5 x 64 mm; thread 17; self drilling; back tapping; self tapping; titanium	 4 047075 000784
3.504.66	Ø 3.5 x 66 mm; thread 17; self drilling; back tapping; self tapping; titanium	 4 047075 000791
3.504.68	Ø 3.5 x 68 mm; thread 17; self drilling; back tapping; self tapping; titanium	 4 047075 000807
3.504.70	Ø 3.5 x 70 mm; thread 17; self drilling; back tapping; self tapping; titanium	 4 047075 000814
Cannulated screw 3.5 st		
3.602.10	Ø 3.5 x 10 mm; fully threaded; self tapping; titanium	 4 047075 101054
3.602.12	Ø 3.5 x 12 mm; fully threaded; self tapping; titanium	 4 047075 100965
3.602.14	Ø 3.5 x 14 mm; fully threaded; self tapping; titanium	 4 047075 100972
3.602.16	Ø 3.5 x 16 mm; fully threaded; self tapping; titanium	 4 047075 100996
3.602.18	Ø 3.5 x 18 mm; fully threaded; self tapping; titanium	 4 047075 101146
3.602.20	Ø 3.5 x 20 mm; fully threaded; self tapping; titanium	 4 047075 101153
3.602.22	Ø 3.5 x 22 mm; fully threaded; self tapping; titanium	 4 047075 101160
3.602.24	Ø 3.5 x 24 mm; fully threaded; self tapping; titanium	 4 047075 101061
3.602.26	Ø 3.5 x 26 mm; fully threaded; self tapping; titanium	 4 047075 101184
3.602.28	Ø 3.5 x 28 mm; fully threaded; self tapping; titanium	 4 047075 101078
3.602.30	Ø 3.5 x 30 mm; fully threaded; self tapping; titanium	 4 047075 101085
3.602.32	Ø 3.5 x 32 mm; fully threaded; self tapping; titanium	 4 047075 101092
3.602.34	Ø 3.5 x 34 mm; fully threaded; self tapping; titanium	 4 047075 101177
3.602.36	Ø 3.5 x 36 mm; fully threaded; self tapping; titanium	 4 047075 101283
3.602.38	Ø 3.5 x 38 mm; fully threaded; self tapping; titanium	 4 047075 101191
3.602.40	Ø 3.5 x 40 mm; fully threaded; self tapping; titanium	 4 047075 101207
3.602.42	Ø 3.5 x 42 mm; fully threaded; self tapping; titanium	 4 047075 101214
3.602.44	Ø 3.5 x 44 mm; fully threaded; self tapping; titanium	 4 047075 101108
3.602.46	Ø 3.5 x 46 mm; fully threaded; self tapping; titanium	 4 047075 101115
3.602.48	Ø 3.5 x 48 mm; fully threaded; self tapping; titanium	 4 047075 101139
3.602.50	Ø 3.5 x 50 mm; fully threaded; self tapping; titanium	 4 047075 101306
3.602.52	Ø 3.5 x 52 mm; fully threaded; self tapping; titanium	 4 047075 101313
3.602.54	Ø 3.5 x 54 mm; fully threaded; self tapping; titanium	 4 047075 101320
3.602.56	Ø 3.5 x 56 mm; fully threaded; self tapping; titanium	 4 047075 101221
3.602.58	Ø 3.5 x 58 mm; fully threaded; self tapping; titanium	 4 047075 101344
3.602.60	Ø 3.5 x 60 mm; fully threaded; self tapping; titanium	 4 047075 101238
3.602.62	Ø 3.5 x 62 mm; fully threaded; self tapping; titanium	 4 047075 101245
3.602.64	Ø 3.5 x 64 mm; fully threaded; self tapping; titanium	 4 047075 101252
3.602.66	Ø 3.5 x 66 mm; fully threaded; self tapping; titanium	 4 047075 101337

Cannulated screws

titanium

Item no.	Item description	EAN
3.602.68	Ø 3.5 x 68 mm; fully threaded; self tapping; titanium	 4 047075 101443
3.602.70	Ø 3.5 x 70 mm; fully threaded; self tapping; titanium	 4 047075 101351
Cannulated screw 3.5 st sd		
3.604.10	Ø 3.5 x 10 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 000821
3.604.12	Ø 3.5 x 12 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 000838
3.604.14	Ø 3.5 x 14 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 000845
3.604.16	Ø 3.5 x 16 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 000852
3.604.18	Ø 3.5 x 18 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 000869
3.604.20	Ø 3.5 x 20 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 000876
3.604.22	Ø 3.5 x 22 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 000883
3.604.24	Ø 3.5 x 24 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 000890
3.604.26	Ø 3.5 x 26 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 000906
3.604.28	Ø 3.5 x 28 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 000913
3.604.30	Ø 3.5 x 30 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 000920
3.604.32	Ø 3.5 x 32 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 000937
3.604.34	Ø 3.5 x 34 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 000944
3.604.36	Ø 3.5 x 36 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 000951
3.604.38	Ø 3.5 x 38 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 000968
3.604.40	Ø 3.5 x 40 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 000975
3.604.42	Ø 3.5 x 42 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 000982
3.604.44	Ø 3.5 x 44 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 000999
3.604.46	Ø 3.5 x 46 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 001002
3.604.48	Ø 3.5 x 48 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 001019
3.604.50	Ø 3.5 x 50 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 001026
3.604.52	Ø 3.5 x 52 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 001033
3.604.54	Ø 3.5 x 54 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 001040
3.604.56	Ø 3.5 x 56 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 001057
3.604.58	Ø 3.5 x 58 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 001064
3.604.60	Ø 3.5 x 60 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 001071
3.604.62	Ø 3.5 x 62 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 001088
3.604.64	Ø 3.5 x 64 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 001095
3.604.66	Ø 3.5 x 66 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 001101
3.604.68	Ø 3.5 x 68 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 001118
3.604.70	Ø 3.5 x 70 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 001125


























Cannulated screws

titanium

Item no.	Item description	EAN
Cannulated screw 4.0 partial thread st bt sd – TiOB®		
3.440.10	Ø 4.0 x 10 mm; thread 5; self drilling; self tapping; back tapping; titanium	4 047075 097784
3.440.12	Ø 4.0 x 12 mm; thread 5; self drilling; self tapping; back tapping; titanium	4 047075 097890
3.440.14	Ø 4.0 x 14 mm; thread 5; self drilling; self tapping; back tapping; titanium	4 047075 097791
3.440.16	Ø 4.0 x 16 mm; thread 6; self drilling; self tapping; back tapping; titanium	4 047075 097807
3.440.18	Ø 4.0 x 18 mm; thread 7; self drilling; self tapping; back tapping; titanium	4 047075 097814
3.440.20	Ø 4.0 x 20 mm; thread 8; self drilling; self tapping; back tapping; titanium	4 047075 097715
3.440.22	Ø 4.0 x 22 mm; thread 9; self drilling; self tapping; back tapping; titanium	4 047075 097722
3.440.24	Ø 4.0 x 24 mm; thread 10; self drilling; self tapping; back tapping; titanium	4 047075 097746
3.440.26	Ø 4.0 x 26 mm; thread 12; self drilling; self tapping; back tapping; titanium	4 047075 097913
3.440.28	Ø 4.0 x 28 mm; thread 14; self drilling; self tapping; back tapping; titanium	4 047075 097920
3.440.30	Ø 4.0 x 30 mm; thread 14; self drilling; self tapping; back tapping; titanium	4 047075 097937
3.440.32	Ø 4.0 x 32 mm; thread 14; self drilling; self tapping; back tapping; titanium	4 047075 097821
3.440.34	Ø 4.0 x 34 mm; thread 14; self drilling; self tapping; back tapping; titanium	4 047075 097951
3.440.35	Ø 4.0 x 35 mm; thread 14; self drilling; self tapping; back tapping; titanium	4 047075 097838
3.440.36	Ø 4.0 x 36 mm; thread 14; self drilling; self tapping; back tapping; titanium	4 047075 097845
3.440.38	Ø 4.0 x 38 mm; thread 14; self drilling; self tapping; back tapping; titanium	4 047075 097852
3.440.40	Ø 4.0 x 40 mm; thread 14; self drilling; self tapping; back tapping; titanium	4 047075 097944
3.440.42	Ø 4.0 x 42 mm; thread 15; self drilling; self tapping; back tapping; titanium	4 047075 098071
3.440.44	Ø 4.0 x 44 mm; thread 15; self drilling; self tapping; back tapping; titanium	4 047075 097968
3.440.45	Ø 4.0 x 45 mm; thread 15; self drilling; self tapping; back tapping; titanium	4 047075 097975
3.440.46	Ø 4.0 x 46 mm; thread 15; self drilling; self tapping; back tapping; titanium	4 047075 097982
3.440.48	Ø 4.0 x 48 mm; thread 15; self drilling; self tapping; back tapping; titanium	4 047075 097876
3.440.50	Ø 4.0 x 50 mm; thread 15; self drilling; self tapping; back tapping; titanium	4 047075 097883
3.440.55	Ø 4.0 x 55 mm; thread 16; self drilling; self tapping; back tapping; titanium	4 047075 097906
3.440.60	Ø 4.0 x 60 mm; thread 16; self drilling; self tapping; back tapping; titanium	4 047075 098095
3.440.65	Ø 4.0 x 65 mm; thread 17; self drilling; self tapping; back tapping; titanium	4 047075 098101
3.440.70	Ø 4.0 x 70 mm; thread 17; self drilling; self tapping; back tapping; titanium	4 047075 098118
3.440.75	Ø 4.0 x 75 mm; thread 17; self drilling; self tapping; back tapping; titanium	4 047075 097999
3.440.80	Ø 4.0 x 80 mm; thread 18; self drilling; self tapping; back tapping; titanium	4 047075 098132
Cannulated screw 4.0 st sd – TiOB®		
3.445.10	Ø 4.0 x 10 mm; fully threaded; self drilling; self tapping; titanium	4 047075 098026
3.445.12	Ø 4.0 x 12 mm; fully threaded; self drilling; self tapping; titanium	4 047075 098033
3.445.14	Ø 4.0 x 14 mm; fully threaded; self drilling; self tapping; titanium	4 047075 098040


































Cannulated screws

titanium

Item no.	Item description	EAN
3.445.16	Ø 4.0 x 16 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098125
3.445.18	Ø 4.0 x 18 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098231
3.445.20	Ø 4.0 x 20 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098149
3.445.22	Ø 4.0 x 22 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098156
3.445.24	Ø 4.0 x 24 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098163
3.445.26	Ø 4.0 x 26 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098057
3.445.28	Ø 4.0 x 28 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098064
3.445.30	Ø 4.0 x 30 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098088
3.445.32	Ø 4.0 x 32 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098255
3.445.34	Ø 4.0 x 34 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098262
3.445.35	Ø 4.0 x 35 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098279
3.445.36	Ø 4.0 x 36 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098170
3.445.38	Ø 4.0 x 38 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098293
3.445.40	Ø 4.0 x 40 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098187
3.445.42	Ø 4.0 x 42 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098194
3.445.44	Ø 4.0 x 44 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098200
3.445.45	Ø 4.0 x 45 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098286
3.445.46	Ø 4.0 x 46 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098392
3.445.48	Ø 4.0 x 48 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098309
3.445.50	Ø 4.0 x 50 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098316
3.445.55	Ø 4.0 x 55 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098323
3.445.60	Ø 4.0 x 60 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098217
3.445.65	Ø 4.0 x 65 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098224
3.445.70	Ø 4.0 x 70 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 098248
Cannulated screw 4.5 partial thread st		
3.430.20	Ø 4.5 x 20 mm; thread 7; self tapping; titanium	 4 047075 097258
3.430.22	Ø 4.5 x 22 mm; thread 7; self tapping; titanium	 4 047075 097265
3.430.24	Ø 4.5 x 24 mm; thread 8; self tapping; titanium	 4 047075 097272
3.430.26	Ø 4.5 x 26 mm; thread 9; self tapping; titanium	 4 047075 097166
3.430.28	Ø 4.5 x 28 mm; thread 9; self tapping; titanium	 4 047075 097173
3.430.30	Ø 4.5 x 30 mm; thread 10; self tapping; titanium	 4 047075 097203
3.430.32	Ø 4.5 x 32 mm; thread 11; self tapping; titanium	 4 047075 097210
3.430.34	Ø 4.5 x 34 mm; thread 11; self tapping; titanium	 4 047075 097227
3.430.36	Ø 4.5 x 36 mm; thread 12; self tapping; titanium	 4 047075 097388

Cannulated screws

titanium

Item no.	Item description	EAN
3.430.38	Ø 4.5 x 38 mm; thread 13; self tapping; titanium	
3.430.40	Ø 4.5 x 40 mm; thread 13; self tapping; titanium	
3.430.42	Ø 4.5 x 42 mm; thread 14; self tapping; titanium	
3.430.44	Ø 4.5 x 44 mm; thread 15; self tapping; titanium	
3.430.46	Ø 4.5 x 46 mm; thread 15; self tapping; titanium	
3.430.48	Ø 4.5 x 48 mm; thread 16; self tapping; titanium	
3.430.50	Ø 4.5 x 50 mm; thread 16; self tapping; titanium	
3.430.52	Ø 4.5 x 52 mm; thread 17; self tapping; titanium	
3.430.54	Ø 4.5 x 54 mm; thread 19; self tapping; titanium	
3.430.56	Ø 4.5 x 56 mm; thread 19; self tapping; titanium	
3.430.58	Ø 4.5 x 58 mm; thread 20; self tapping; titanium	
3.430.60	Ø 4.5 x 60 mm; thread 20; self tapping; titanium	
3.430.62	Ø 4.5 x 62 mm; thread 21; self tapping; titanium	
3.430.64	Ø 4.5 x 64 mm; thread 21; self tapping; titanium	
3.430.66	Ø 4.5 x 66 mm; thread 22; self tapping; titanium	
3.430.68	Ø 4.5 x 68 mm; thread 23; self tapping; titanium	
3.430.72	Ø 4.5 x 72 mm; thread 24; self tapping; titanium	
Cannulated screw 4.5 partial thread st bt sd		
3.434.20	Ø 4.5 x 20 mm; thread 7; self drilling; back tapping; self tapping; titanium	
3.434.22	Ø 4.5 x 22 mm; thread 7; self drilling; back tapping; self tapping; titanium	
3.434.24	Ø 4.5 x 24 mm; thread 8; self drilling; back tapping; self tapping; titanium	
3.434.26	Ø 4.5 x 26 mm; thread 9; self drilling; back tapping; self tapping; titanium	
3.434.28	Ø 4.5 x 28 mm; thread 9; self drilling; back tapping; self tapping; titanium	
3.434.30	Ø 4.5 x 30 mm; thread 10; self drilling; back tapping; self tapping; titanium	
3.434.32	Ø 4.5 x 32 mm; thread 11; self drilling; back tapping; self tapping; titanium	
3.434.34	Ø 4.5 x 34 mm; thread 11; self drilling; back tapping; self tapping; titanium	
3.434.36	Ø 4.5 x 36 mm; thread 12; self drilling; back tapping; self tapping; titanium	
3.434.38	Ø 4.5 x 38 mm; thread 13; self drilling; back tapping; self tapping; titanium	
3.434.40	Ø 4.5 x 40 mm; thread 13; self drilling; back tapping; self tapping; titanium	
3.434.42	Ø 4.5 x 42 mm; thread 14; self drilling; back tapping; self tapping; titanium	
3.434.44	Ø 4.5 x 44 mm; thread 15; self drilling; back tapping; self tapping; titanium	
3.434.46	Ø 4.5 x 46 mm; thread 15; self drilling; back tapping; self tapping; titanium	
3.434.48	Ø 4.5 x 48 mm; thread 16; self drilling; back tapping; self tapping; titanium	
3.434.50	Ø 4.5 x 50 mm; thread 16; self drilling; back tapping; self tapping; titanium	









Cannulated screws

titanium

Item no.	Item description	EAN
3.434.52	Ø 4.5 x 52 mm; thread 17; self drilling; back tapping; self tapping; titanium	 4 047075 001705
3.434.54	Ø 4.5 x 54 mm; thread 19; self drilling; back tapping; self tapping; titanium	 4 047075 001712
3.434.56	Ø 4.5 x 56 mm; thread 19; self drilling; back tapping; self tapping; titanium	 4 047075 001729
3.434.58	Ø 4.5 x 58 mm; thread 20; self drilling; back tapping; self tapping; titanium	 4 047075 001736
3.434.60	Ø 4.5 x 60 mm; thread 20; self drilling; back tapping; self tapping; titanium	 4 047075 001743
3.434.62	Ø 4.5 x 62 mm; thread 21; self drilling; back tapping; self tapping; titanium	 4 047075 001750
3.434.64	Ø 4.5 x 64 mm; thread 21; self drilling; back tapping; self tapping; titanium	 4 047075 001767
3.434.66	Ø 4.5 x 66 mm; thread 22; self drilling; back tapping; self tapping; titanium	 4 047075 001774
3.434.68	Ø 4.5 x 68 mm; thread 23; self drilling; back tapping; self tapping; titanium	 4 047075 001781
3.434.72	Ø 4.5 x 72 mm; thread 24; self drilling; back tapping; self tapping; titanium	 4 047075 001798
Cannulated screw 4.5 st		
3.435.20	Ø 4.5 x 20 mm; fully threaded; self tapping; titanium	 4 047075 097395
3.435.22	Ø 4.5 x 22 mm; fully threaded; self tapping; titanium	 4 047075 097500
3.435.24	Ø 4.5 x 24 mm; fully threaded; self tapping; titanium	 4 047075 097579
3.435.26	Ø 4.5 x 26 mm; fully threaded; self tapping; titanium	 4 047075 097586
3.435.28	Ø 4.5 x 28 mm; fully threaded; self tapping; titanium	 4 047075 097593
3.435.30	Ø 4.5 x 30 mm; fully threaded; self tapping; titanium	 4 047075 097487
3.435.32	Ø 4.5 x 32 mm; fully threaded; self tapping; titanium	 4 047075 097494
3.435.34	Ø 4.5 x 34 mm; fully threaded; self tapping; titanium	 4 047075 097517
3.435.36	Ø 4.5 x 36 mm; fully threaded; self tapping; titanium	 4 047075 097524
3.435.38	Ø 4.5 x 38 mm; fully threaded; self tapping; titanium	 4 047075 097531
3.435.40	Ø 4.5 x 40 mm; fully threaded; self tapping; titanium	 4 047075 097708
3.435.42	Ø 4.5 x 42 mm; fully threaded; self tapping; titanium	 4 047075 097609
3.435.44	Ø 4.5 x 44 mm; fully threaded; self tapping; titanium	 4 047075 097739
3.435.46	Ø 4.5 x 46 mm; fully threaded; self tapping; titanium	 4 047075 097616
3.435.48	Ø 4.5 x 48 mm; fully threaded; self tapping; titanium	 4 047075 097623
3.435.50	Ø 4.5 x 50 mm; fully threaded; self tapping; titanium	 4 047075 097630
3.435.52	Ø 4.5 x 52 mm; fully threaded; self tapping; titanium	 4 047075 097555
3.435.54	Ø 4.5 x 54 mm; fully threaded; self tapping; titanium	 4 047075 097661
3.435.56	Ø 4.5 x 56 mm; fully threaded; self tapping; titanium	 4 047075 097753
3.435.58	Ø 4.5 x 58 mm; fully threaded; self tapping; titanium	 4 047075 097760
3.435.60	Ø 4.5 x 60 mm; fully threaded; self tapping; titanium	 4 047075 097777
3.435.62	Ø 4.5 x 62 mm; fully threaded; self tapping; titanium	 4 047075 097647
3.435.64	Ø 4.5 x 64 mm; fully threaded; self tapping; titanium	 4 047075 097654

Cannulated screws

titanium

Item no.	Item description	EAN
3.435.66	Ø 4.5 x 66 mm; fully threaded; self tapping; titanium	 4 047075 097678
3.435.68	Ø 4.5 x 68 mm; fully threaded; self tapping; titanium	 4 047075 097685
3.435.72	Ø 4.5 x 72 mm; fully threaded; self tapping; titanium	 4 047075 097692
Cannulated screw 4.5 st sd		
3.439.20	Ø 4.5 x 20 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 001804
3.439.22	Ø 4.5 x 22 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 001811
3.439.24	Ø 4.5 x 24 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 001828
3.439.26	Ø 4.5 x 26 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 001835
3.439.28	Ø 4.5 x 28 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 001842
3.439.30	Ø 4.5 x 30 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 001859
3.439.32	Ø 4.5 x 32 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 001866
3.439.34	Ø 4.5 x 34 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 001873
3.439.36	Ø 4.5 x 36 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 001880
3.439.38	Ø 4.5 x 38 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 001897
3.439.40	Ø 4.5 x 40 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 050345
3.439.42	Ø 4.5 x 42 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 050352
3.439.44	Ø 4.5 x 44 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 050369
3.439.46	Ø 4.5 x 46 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 050376
3.439.48	Ø 4.5 x 48 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 050383
3.439.50	Ø 4.5 x 50 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 050390
3.439.52	Ø 4.5 x 52 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 050406
3.439.54	Ø 4.5 x 54 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 050413
3.439.56	Ø 4.5 x 56 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 050420
3.439.58	Ø 4.5 x 58 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 050437
3.439.60	Ø 4.5 x 60 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 050444
3.439.62	Ø 4.5 x 62 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 050451
3.439.64	Ø 4.5 x 64 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 050468
3.439.66	Ø 4.5 x 66 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 050475
3.439.68	Ø 4.5 x 68 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 050482
3.439.72	Ø 4.5 x 72 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 050499
Cannulated screw 6.5 thread 16 st bt sd – TiOB®		
3.520.30	Ø 6.5 x 30 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 099962
3.520.35	Ø 6.5 x 35 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 100040
3.520.40	Ø 6.5 x 40 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 100156

Cannulated screws

titanium

Item no.	Item description	EAN
3.520.45	Ø 6.5 x 45 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 100064
3.520.50	Ø 6.5 x 50 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 100071
3.520.55	Ø 6.5 x 55 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 100088
3.520.60	Ø 6.5 x 60 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 099979
3.520.65	Ø 6.5 x 65 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 099986
3.520.70	Ø 6.5 x 70 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 100002
3.520.75	Ø 6.5 x 75 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 100170
3.520.80	Ø 6.5 x 80 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 100187
3.520.85	Ø 6.5 x 85 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 100194
3.520.90	Ø 6.5 x 90 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 100095
3.520.95	Ø 6.5 x 95 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 100217
3.520.100	Ø 6.5 x 100 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 0999825
3.520.105	Ø 6.5 x 105 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 0999849
3.520.110	Ø 6.5 x 110 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 100019
3.520.115	Ø 6.5 x 115 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 100026
3.520.120	Ø 6.5 x 120 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 100033
3.520.125	Ø 6.5 x 125 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 099931
3.520.130	Ø 6.5 x 130 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 100057
3.520.135	Ø 6.5 x 135 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 099948
3.520.140	Ø 6.5 x 140 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 099955
Cannulated screw 6.5 thread 32 st bt sd – TiOB®		
3.523.45	Ø 6.5 x 45 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 100149
3.523.50	Ø 6.5 x 50 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 100163
3.523.55	Ø 6.5 x 55 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 100330
3.523.60	Ø 6.5 x 60 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 100347
3.523.65	Ø 6.5 x 65 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 100354
3.523.70	Ø 6.5 x 70 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 100255
3.523.75	Ø 6.5 x 75 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 100378
3.523.80	Ø 6.5 x 80 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 100262
3.523.85	Ø 6.5 x 85 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 100279
3.523.90	Ø 6.5 x 90 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 100286
3.523.95	Ø 6.5 x 95 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 100361
3.523.100	Ø 6.5 x 100 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 100101
3.523.105	Ø 6.5 x 105 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 100118

Cannulated screws

titanium

Item no.	Item description	EAN
3.523.110	Ø 6.5 x 110 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 100125
3.523.115	Ø 6.5 x 115 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 100200
3.523.120	Ø 6.5 x 120 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 100316
3.523.125	Ø 6.5 x 125 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 100224
3.523.130	Ø 6.5 x 130 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 100231
3.523.135	Ø 6.5 x 135 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 100248
3.523.140	Ø 6.5 x 140 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 100132
Cannulated screw 6.5 st bt sd – TiOB®		
3.525.45	Ø 6.5 x 45 mm; fully threaded; self drilling; back tapping; self tapping; titanium	 4 047075 100507
3.525.50	Ø 6.5 x 50 mm; fully threaded; self drilling; back tapping; self tapping; titanium	 4 047075 100415
3.525.55	Ø 6.5 x 55 mm; fully threaded; self drilling; back tapping; self tapping; titanium	 4 047075 100521
3.525.60	Ø 6.5 x 60 mm; fully threaded; self drilling; back tapping; self tapping; titanium	 4 047075 100422
3.525.65	Ø 6.5 x 65 mm; fully threaded; self drilling; back tapping; self tapping; titanium	 4 047075 100439
3.525.70	Ø 6.5 x 70 mm; fully threaded; self drilling; back tapping; self tapping; titanium	 4 047075 100446
3.525.75	Ø 6.5 x 75 mm; fully threaded; self drilling; back tapping; self tapping; titanium	 4 047075 100514
3.525.80	Ø 6.5 x 80 mm; fully threaded; self drilling; back tapping; self tapping; titanium	 4 047075 100644
3.525.85	Ø 6.5 x 85 mm; fully threaded; self drilling; back tapping; self tapping; titanium	 4 047075 100538
3.525.90	Ø 6.5 x 90 mm; fully threaded; self drilling; back tapping; self tapping; titanium	 4 047075 100545
3.525.95	Ø 6.5 x 95 mm; fully threaded; self drilling; back tapping; self tapping; titanium	 4 047075 100552
3.525.100	Ø 6.5 x 100 mm; fully threaded; self drilling; back tapping; self tapping; titanium	 4 047075 100460
3.525.105	Ø 6.5 x 105 mm; fully threaded; self drilling; back tapping; self tapping; titanium	 4 047075 100385
3.525.110	Ø 6.5 x 110 mm; fully threaded; self drilling; back tapping; self tapping; titanium	 4 047075 100392
3.525.115	Ø 6.5 x 115 mm; fully threaded; self drilling; back tapping; self tapping; titanium	 4 047075 100408
3.525.120	Ø 6.5 x 120 mm; fully threaded; self drilling; back tapping; self tapping; titanium	 4 047075 100293
3.525.125	Ø 6.5 x 125 mm; fully threaded; self drilling; back tapping; self tapping; titanium	 4 047075 100309
3.525.130	Ø 6.5 x 130 mm; fully threaded; self drilling; back tapping; self tapping; titanium	 4 047075 100323
3.525.135	Ø 6.5 x 135 mm; fully threaded; self drilling; back tapping; self tapping; titanium	 4 047075 100484
3.525.140	Ø 6.5 x 140 mm; fully threaded; self drilling; back tapping; self tapping; titanium	 4 047075 100491
Cannulated screw 7.0 thread 10 bt		
3.409.40	Ø 7.0 x 40 mm; thread 10; back tapping; titanium	 4 047075 095513
3.409.45	Ø 7.0 x 45 mm; thread 10; back tapping; titanium	 4 047075 095353
3.409.50	Ø 7.0 x 50 mm; thread 10; back tapping; titanium	 4 047075 095360
3.409.55	Ø 7.0 x 55 mm; thread 10; back tapping; titanium	 4 047075 095377
3.409.60	Ø 7.0 x 60 mm; thread 10; back tapping; titanium	 4 047075 095384

Cannulated screws

titanium

Item no.	Item description	EAN
3.409.65	Ø 7.0 x 65 mm; thread 10; back tapping; titanium	 4 047075 095391
3.409.70	Ø 7.0 x 70 mm; thread 10; back tapping; titanium	 4 047075 095407
3.409.75	Ø 7.0 x 75 mm; thread 10; back tapping; titanium	 4 047075 095414
3.409.80	Ø 7.0 x 80 mm; thread 10; back tapping; titanium	 4 047075 095292
3.409.85	Ø 7.0 x 85 mm; thread 10; back tapping; titanium	 4 047075 095445
3.409.90	Ø 7.0 x 90 mm; thread 10; back tapping; titanium	 4 047075 095315
3.409.95	Ø 7.0 x 95 mm; thread 10; back tapping; titanium	 4 047075 095322
3.409.100	Ø 7.0 x 100 mm; thread 10; back tapping; titanium	 4 047075 095254
3.409.110	Ø 7.0 x 110 mm; thread 10; back tapping; titanium	 4 047075 095278
Cannulated screw 7.0 st sd		
3.411.50	Ø 7.0 x 50 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 132010
3.411.55	Ø 7.0 x 55 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 132027
3.411.60	Ø 7.0 x 60 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 132034
3.411.65	Ø 7.0 x 65 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 132041
3.411.70	Ø 7.0 x 70 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 132058
3.411.75	Ø 7.0 x 75 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 132065
3.411.80	Ø 7.0 x 80 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 132072
3.411.85	Ø 7.0 x 85 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 132089
3.411.90	Ø 7.0 x 90 mm; fully threaded; self drilling; self tapping; titanium	 4 047075 132096
Cannulated screw 7.0 thread 16 st bt		
3.412.30	Ø 7.0 x 30 mm; thread 16; back tapping; self tapping; titanium	 4 047075 095667
3.412.35	Ø 7.0 x 35 mm; thread 16; back tapping; self tapping; titanium	 4 047075 095681
3.412.40	Ø 7.0 x 40 mm; thread 16; back tapping; self tapping; titanium	 4 047075 095698
3.412.45	Ø 7.0 x 45 mm; thread 16; back tapping; self tapping; titanium	 4 047075 095841
3.412.50	Ø 7.0 x 50 mm; thread 16; back tapping; self tapping; titanium	 4 047075 095858
3.412.55	Ø 7.0 x 55 mm; thread 16; back tapping; self tapping; titanium	 4 047075 095759
3.412.60	Ø 7.0 x 60 mm; thread 16; back tapping; self tapping; titanium	 4 047075 095872
3.412.65	Ø 7.0 x 65 mm; thread 16; back tapping; self tapping; titanium	 4 047075 095766
3.412.70	Ø 7.0 x 70 mm; thread 16; back tapping; self tapping; titanium	 4 047075 095773
3.412.75	Ø 7.0 x 75 mm; thread 16; back tapping; self tapping; titanium	 4 047075 095780
3.412.80	Ø 7.0 x 80 mm; thread 16; back tapping; self tapping; titanium	 4 047075 095711
3.412.85	Ø 7.0 x 85 mm; thread 16; back tapping; self tapping; titanium	 4 047075 095889
3.412.90	Ø 7.0 x 90 mm; thread 16; back tapping; self tapping; titanium	 4 047075 095896
3.412.95	Ø 7.0 x 95 mm; thread 16; back tapping; self tapping; titanium	 4 047075 095902

Cannulated screws

titanium

Item no.	Item description	EAN
3.412.100	Ø 7.0 x 100 mm; thread 16; back tapping; self tapping; titanium	 4 047075 095643
3.412.105	Ø 7.0 x 105 mm; thread 16; back tapping; self tapping; titanium	 4 047075 095551
3.412.110	Ø 7.0 x 110 mm; thread 16; back tapping; self tapping; titanium	 4 047075 095810
3.412.115	Ø 7.0 x 115 mm; thread 16; back tapping; self tapping; titanium	 4 047075 095728
3.412.120	Ø 7.0 x 120 mm; thread 16; back tapping; self tapping; titanium	 4 047075 095735
3.412.125	Ø 7.0 x 125 mm; thread 16; back tapping; self tapping; titanium	 4 047075 095742
3.412.130	Ø 7.0 x 130 mm; thread 16; back tapping; self tapping; titanium	 4 047075 095650
Cannulated screw 7.0 thread 16 st bt sd		
3.414.30	Ø 7.0 x 30 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 095926
3.414.35	Ø 7.0 x 35 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 095933
3.414.40	Ø 7.0 x 40 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 095940
3.414.45	Ø 7.0 x 45 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 095865
3.414.50	Ø 7.0 x 50 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 095971
3.414.55	Ø 7.0 x 55 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 096046
3.414.60	Ø 7.0 x 60 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 096053
3.414.65	Ø 7.0 x 65 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 096060
3.414.70	Ø 7.0 x 70 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 095957
3.414.75	Ø 7.0 x 75 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 095964
3.414.80	Ø 7.0 x 80 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 095988
3.414.85	Ø 7.0 x 85 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 095995
3.414.90	Ø 7.0 x 90 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 096008
3.414.95	Ø 7.0 x 95 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 096176
3.414.100	Ø 7.0 x 100 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 095797
3.414.105	Ø 7.0 x 105 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 095803
3.414.110	Ø 7.0 x 110 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 095827
3.414.115	Ø 7.0 x 115 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 095834
3.414.120	Ø 7.0 x 120 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 096015
3.414.125	Ø 7.0 x 125 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 095919
3.414.130	Ø 7.0 x 130 mm; thread 16; self drilling; back tapping; self tapping; titanium	 4 047075 096039
Cannulated screw 7.0 thread 32 st bt		
3.422.40	Ø 7.0 x 40 mm; thread 32; back tapping; self tapping; titanium	 4 047075 096275
3.422.45	Ø 7.0 x 45 mm; thread 32; back tapping; self tapping; titanium	 4 047075 096282
3.422.50	Ø 7.0 x 50 mm; thread 32; back tapping; self tapping; titanium	 4 047075 096305
3.422.55	Ø 7.0 x 55 mm; thread 32; back tapping; self tapping; titanium	 4 047075 096312



















Cannulated screws

titanium

Item no.	Item description	EAN
3.422.60	Ø 7.0 x 60 mm; thread 32; back tapping; self tapping; titanium	 4 047075 096329
3.422.65	Ø 7.0 x 65 mm; thread 32; back tapping; self tapping; titanium	 4 047075 096497
3.422.70	Ø 7.0 x 70 mm; thread 32; back tapping; self tapping; titanium	 4 047075 096404
3.422.75	Ø 7.0 x 75 mm; thread 32; back tapping; self tapping; titanium	 4 047075 096510
3.422.80	Ø 7.0 x 80 mm; thread 32; back tapping; self tapping; titanium	 4 047075 096411
3.422.85	Ø 7.0 x 85 mm; thread 32; back tapping; self tapping; titanium	 4 047075 096428
3.422.90	Ø 7.0 x 90 mm; thread 32; back tapping; self tapping; titanium	 4 047075 096435
3.422.95	Ø 7.0 x 95 mm; thread 32; back tapping; self tapping; titanium	 4 047075 096343
3.422.100	Ø 7.0 x 100 mm; thread 32; back tapping; self tapping; titanium	 4 047075 096244
3.422.105	Ø 7.0 x 105 mm; thread 32; back tapping; self tapping; titanium	 4 047075 096251
3.422.110	Ø 7.0 x 110 mm; thread 32; back tapping; self tapping; titanium	 4 047075 096268
3.422.115	Ø 7.0 x 115 mm; thread 32; back tapping; self tapping; titanium	 4 047075 096183
3.422.120	Ø 7.0 x 120 mm; thread 32; back tapping; self tapping; titanium	 4 047075 096299
3.422.125	Ø 7.0 x 125 mm; thread 32; back tapping; self tapping; titanium	 4 047075 096374
3.422.130	Ø 7.0 x 130 mm; thread 32; back tapping; self tapping; titanium	 4 047075 096381
Cannulated screw 7.0 thread 32 st bt sd		
3.424.40	Ø 7.0 x 40 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 096473
3.424.45	Ø 7.0 x 45 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 096480
3.424.50	Ø 7.0 x 50 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 096657
3.424.55	Ø 7.0 x 55 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 096558
3.424.60	Ø 7.0 x 60 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 096688
3.424.65	Ø 7.0 x 65 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 096572
3.424.70	Ø 7.0 x 70 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 096589
3.424.75	Ø 7.0 x 75 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 096596
3.424.80	Ø 7.0 x 80 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 096503
3.424.85	Ø 7.0 x 85 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 096619
3.424.90	Ø 7.0 x 90 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 096701
3.424.95	Ø 7.0 x 95 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 096718
3.424.100	Ø 7.0 x 100 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 096367
3.424.105	Ø 7.0 x 105 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 096527
3.424.110	Ø 7.0 x 110 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 096534
3.424.115	Ø 7.0 x 115 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 096541
3.424.120	Ø 7.0 x 120 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 096442
3.424.125	Ø 7.0 x 125 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 096565








Cannulated screws

titanium

Item no.	Item description	EAN
3.424.130	Ø 7.0 x 130 mm; thread 32; self drilling; back tapping; self tapping; titanium	 4 047075 096466
Cannulated screw 7.0 bt		
3.425.30	Ø 7.0 x 30 mm; fully threaded; back tapping; titanium	 4 047075 096862
3.425.35	Ø 7.0 x 35 mm; fully threaded; back tapping; titanium	 4 047075 096770
3.425.45	Ø 7.0 x 45 mm; fully threaded; back tapping; titanium	 4 047075 096794
3.425.50	Ø 7.0 x 50 mm; fully threaded; back tapping; titanium	 4 047075 096664
3.425.55	Ø 7.0 x 55 mm; fully threaded; back tapping; titanium	 4 047075 096671
3.425.60	Ø 7.0 x 60 mm; fully threaded; back tapping; titanium	 4 047075 096695
3.425.70	Ø 7.0 x 70 mm; fully threaded; back tapping; titanium	 4 047075 096893
3.425.75	Ø 7.0 x 75 mm; fully threaded; back tapping; titanium	 4 047075 096909
3.425.80	Ø 7.0 x 80 mm; fully threaded; back tapping; titanium	 4 047075 096800
3.425.85	Ø 7.0 x 85 mm; fully threaded; back tapping; titanium	 4 047075 096923
3.425.90	Ø 7.0 x 90 mm; fully threaded; back tapping; titanium	 4 047075 096817
3.425.95	Ø 7.0 x 95 mm; fully threaded; back tapping; titanium	 4 047075 096824
3.425.100	Ø 7.0 x 100 mm; fully threaded; back tapping; titanium	 4 047075 096749
3.425.105	Ø 7.0 x 105 mm; fully threaded; back tapping; titanium	 4 047075 096602
3.425.110	Ø 7.0 x 110 mm; fully threaded; back tapping; titanium	 4 047075 096763
3.425.115	Ø 7.0 x 115 mm; fully threaded; back tapping; titanium	 4 047075 096626
3.425.125	Ø 7.0 x 125 mm; fully threaded; back tapping; titanium	 4 047075 096640
3.425.130	Ø 7.0 x 130 mm; fully threaded; back tapping; titanium	 4 047075 096756
Cannulated screw 7.0 st bt		
3.427.30	Ø 7.0 x 30 mm; fully threaded; back tapping; self tapping; titanium	 4 047075 096855
3.427.40	Ø 7.0 x 40 mm; fully threaded; back tapping; self tapping; titanium	 4 047075 097067
3.427.45	Ø 7.0 x 45 mm; fully threaded; back tapping; self tapping; titanium	 4 047075 097074
3.427.50	Ø 7.0 x 50 mm; fully threaded; back tapping; self tapping; titanium	 4 047075 097081
3.427.55	Ø 7.0 x 55 mm; fully threaded; back tapping; self tapping; titanium	 4 047075 096961
3.427.60	Ø 7.0 x 60 mm; fully threaded; back tapping; self tapping; titanium	 4 047075 097104
3.427.65	Ø 7.0 x 65 mm; fully threaded; back tapping; self tapping; titanium	 4 047075 096978
3.427.70	Ø 7.0 x 70 mm; fully threaded; back tapping; self tapping; titanium	 4 047075 096985
3.427.75	Ø 7.0 x 75 mm; fully threaded; back tapping; self tapping; titanium	 4 047075 096992
3.427.80	Ø 7.0 x 80 mm; fully threaded; back tapping; self tapping; titanium	 4 047075 097098
3.427.85	Ø 7.0 x 85 mm; fully threaded; back tapping; self tapping; titanium	 4 047075 097241
3.427.90	Ø 7.0 x 90 mm; fully threaded; back tapping; self tapping; titanium	 4 047075 097111
3.427.95	Ø 7.0 x 95 mm; fully threaded; back tapping; self tapping; titanium	 4 047075 097128

Cannulated screws

titanium

Item no.	Item description	EAN
3.427.100	Ø 7.0 x 100 mm; fully threaded; back tapping; self tapping; titanium	 4 047075 096831
3.427.105	Ø 7.0 x 105 mm; fully threaded; back tapping; self tapping; titanium	 4 047075 096916
3.427.110	Ø 7.0 x 110 mm; fully threaded; back tapping; self tapping; titanium	 4 047075 097043
3.427.115	Ø 7.0 x 115 mm; fully threaded; back tapping; self tapping; titanium	 4 047075 096930
3.427.120	Ø 7.0 x 120 mm; fully threaded; back tapping; self tapping; titanium	 4 047075 096947
3.427.125	Ø 7.0 x 125 mm; fully threaded; back tapping; self tapping; titanium	 4 047075 096954
3.427.130	Ø 7.0 x 130 mm; fully threaded; back tapping; self tapping; titanium	 4 047075 096848

Information

TiOB® is a trademark of Königsee Implantate GmbH registered in the EU countries, Switzerland and the USA. It is a surface treatment that brings optimized properties.



Königsee Implantate GmbH
OT Aschau | Am Sand 4
07426 Allendorf | Germany

Fon +49 36738 498-560
Fax +49 36738 498-569

Mail export@koenigsee-implantate.de

For further information please visit:
www.koenigsee-implantate.com

Kr/Mo | Edition 04 | 2020-08
All pictured products are CE compliant.