Set VaWiKo® Tibia head plate 4.0 SL T / IMPLANTS sterile

lateral; double-threaded plate; variable angle-stable; for screws ∅ 4.0 mm; titanium


non-sterile packaging Set no. 19.493.20 / **sterile packaging** Set no. 19.493.20PS+



Item no. 5.7073.608
Item no. S5.7073.608



Item no. 5.7083.704
Item no. S5.7083.704



All listed implants are available individually in non-sterile and sterile packaging.
Implants in sets, supplied **non-sterile** Set-Nr. 19.493.20
Implants in sets, supplied **sterile** Set-Nr. 19.493.20PS+

Six lobe
Set no. 19.493.20
non-sterile packaging

Item no.	Item no. sterile	Item description	Quant.
Implants – plates			
VaWiKo® tibia head plate² 4.0			
5.7073.604	S5.7073.604	VaWiKo® lateral tibia head plate² 4.0; 6/4 holes; length 88 mm; variable angle-stable; double-threaded plate; titanium	1
5.7073.608	S5.7073.608	VaWiKo® lateral tibia head plate² 4.0; 6/8 holes; length 140 mm; variable angle-stable; double-threaded plate; titanium	1
5.7083.704	S5.7083.704	VaWiKo® lateral tibia head plate² 4.0; 7/4 holes; length 88 mm; variable angle-stable; double-threaded plate; titanium	1
5.7083.708	S5.7083.708	VaWiKo® lateral tibia head plate² 4.0; 7/8 holes; length 140 mm; variable angle-stable; double-threaded plate; titanium	1
Implants – screws			
Cortical screw² 4.0 as SL15 st			
3.0140.18	S3.0140.18	Cortical screw²; ∅ 4.0 mm x 18 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.20	S3.0140.20	Cortical screw²; ∅ 4.0 mm x 20 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.22	S3.0140.22	Cortical screw²; ∅ 4.0 mm x 22 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.24	S3.0140.24	Cortical screw²; ∅ 4.0 mm x 24 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.26	S3.0140.26	Cortical screw²; ∅ 4.0 mm x 26 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.28	S3.0140.28	Cortical screw²; ∅ 4.0 mm x 28 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.30	S3.0140.30	Cortical screw²; ∅ 4.0 mm x 30 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.32	S3.0140.32	Cortical screw²; ∅ 4.0 mm x 32 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.34	S3.0140.34	Cortical screw²; ∅ 4.0 mm x 34 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.36	S3.0140.36	Cortical screw²; ∅ 4.0 mm x 36 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.38	S3.0140.38	Cortical screw²; ∅ 4.0 mm x 38 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5

Königsee Implantate

Königsee Implantate GmbH
OT Aschau | Am Sand 4
07426 Allendorf | Germany

Fon +49 36738 498-560
Fax +49 36738 498-569

export@koenigsee-implantate.de

For further information please visit:
www.koenigsee-implantate.de/en

KrMo | Edition 04 | 2026-08
All pictured products are CE compliant.

Set VaWiKo® Tibia head plate 4.0 SL T / IMPLANTS sterile

lateral; double-threaded plate; variable angle-stable; for screws ∅ 4.0 mm; titanium

non-sterile packaging Set no. 19.493.20 / **sterile packaging** Set no. 19.493.20PS+

Item no.	Item no. sterile	Item description	Quant.
Implants – screws			
3.0140.40	S3.0140.40	Cortical screw²; ∅ 4.0 mm x 40 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.42	S3.0140.42	Cortical screw²; ∅ 4.0 mm x 42 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.44	S3.0140.44	Cortical screw²; ∅ 4.0 mm x 44 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.46	S3.0140.46	Cortical screw²; ∅ 4.0 mm x 46 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.48	S3.0140.48	Cortical screw²; ∅ 4.0 mm x 48 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.50	S3.0140.50	Cortical screw²; ∅ 4.0 mm x 50 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.52	S3.0140.52	Cortical screw²; ∅ 4.0 mm x 52 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.54	S3.0140.54	Cortical screw²; ∅ 4.0 mm x 54 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.56	S3.0140.56	Cortical screw²; ∅ 4.0 mm x 56 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.60	S3.0140.60	Cortical screw²; ∅ 4.0 mm x 60 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.65	S3.0140.65	Cortical screw²; ∅ 4.0 mm x 65 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.70	S3.0140.70	Cortical screw²; ∅ 4.0 mm x 70 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.75	S3.0140.75	Cortical screw²; ∅ 4.0 mm x 75 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.80	S3.0140.80	Cortical screw²; ∅ 4.0 mm x 80 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.85	S3.0140.85	Cortical screw²; ∅ 4.0 mm x 85 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5
3.0140.90	S3.0140.90	Cortical screw²; ∅ 4.0 mm x 90 mm; angle-stable; fully threaded; self tapping; double threaded head; six lobe 15; titanium	5

Instruments			
2.9385.15	–	Screwdriver with silicone handle for six lobe 15; length 215 mm	1
2.904.26	S2.904.26	Drill bit for quick coupling 3.0; spiral 60 mm; 2-flute; length 195 mm	1
2.953.80	–	Gauge with clasp for screws ∅ 3.5 mm and ∅ 4.0 mm; measuring range 90 mm	1
2.977.16	–	Drill guide for angle-stable screwing; for drills ∅ 3.0 mm; length 68 mm	2
2.9774.30	–	Sinkhole drill guide for variable angle-stable screwing; for drills ∅ 3.0 mm/∅ 2.5 mm; short handle	1
2.954.01	–	Screw forceps; self holding	1

Wires			
6.031.18	S6.031.18	Kirschner wire with trocar point and round end; ∅ 1.8 mm x 150 mm; stainless steel	5

Königsee Implantate GmbH
OT Aschau | Am Sand 4
07426 Allendorf | Germany
Fon +49 36738 498-560
Fax +49 36738 498-569
export@koenigsee-implantate.de

For further information please visit:
www.koenigsee-implantate.de/en

KrMo | Edition 04 | 2026-08
All pictured products are CE compliant.


Set VaWiKo® Tibia head plate 4.0 SL T / IMPLANTS sterile

lateral; double-threaded plate; variable angle-stable; for screws ∅ 4.0 mm; titanium

non-sterile packaging Set no. 19.493.20 / **sterile packaging** Set no. 19.493.20PS+

Item no.	Item no. sterile	Item description	Quant.
Container			
19.492.20	–	Perforated autoclavable container with insert for VaWiKo® lateral tibia plates² and instruments	1

Optional			
2.9419.15	–	Screwdriver insert for quick coupling; six lobe 15; length100 mm	–
2.9419.15/55	–	Screwdriver insert for quick coupling; six lobe 15; length 55 mm	
2.9355.35/20	–	Silicone handle with ratchet and AO coupling; length 165 mm; ∅ 20 mm	–
10.186.60	–	Guide block for VaWiKo® lateral tibia head plate² 5.7073.XX	–
10.186.70	–	Guide block for VaWiKo® lateral tibia head plate² 5.7083.XX	–



Six lobe
Set no. 19.493.20
non-sterile packaging

Information

The system name VaWiKo® is derived from the German designation „Variabel Winkelstabile Kombination", which translates into English as „variable angle-stable combination". This system combines conventionalplating technologies with angle-stable locking in variable angles.

VaWiKo® is a registered trademark of Königsee Implantate GmbH.

Königsee Implantate

Königsee Implantate GmbH
OT Aschau | Am Sand 4
07426 Allendorf | Germany

Fon +49 36738 498-560
Fax +49 36738 498-569

export@koenigsee-implantate.de

For further information please visit:
www.koenigsee-implantate.de/en

KrMo | Edition 04 | 2026-08

All pictured products are CE compliant.